Autorenverzeichnis/Author Index

Abd-Alla M. A., s. Hassan M. K.
Abd el Rehim S. S., s. El Sayed A.
Abdel Aziz M. A., s. Aboutabl M. A.
Abdel-Megied A. E.-S., Pedersen E. B., Nielsen C. M.: Synthesis of 2′,3′-dideoxynucleosides from 5-alkoxymethyluracils 59
Aboutabl M. A., Abdel Aziz M. A., Magd El Din A. A., Elwy H. A., Fahmy H. M.: Electrochemical reduction of some 3-aryl-2-cyanothioacrylamide derivatives in *DMF* 765
Ahnert R., s. Dölling W.
Al-Edanee T. E., s. Kadum S. A.
Al-Rashood K. A., s. Bayomi S. M.
Albalat R., Claret J., Müller C., Sarret M.: Electrochemical reduction of mesoxalic acid on polycrystalline platinum surfaces 425
Amarillo D. S., Varveri F. S.: Synthesis of long alkyl chain mono- and di-N-substituted 4-amino-N-methylphthalimides. Comparison of N-alkylation methods 139
Apella M. C., s. Baran E. J.
Aradi F., s. Lorand T.
Augustin M., s. Dölling W.

Badawey E.-S. A. M., s. Hassan A. M. M.
Baker N. A., s. Kadum S. A.
Bandgar B. P., Zbiral E.: Strukturelle Abwandlungen an N-Acetylneuraminsäure, 25. Mitt.: Synthese von Methyl-2-α-glycosiden von 4-Epi, 7-Epi, 8-Epi und 7,8-Bisepi-N-acetylneuraminsäure 1075
Baran E. J., Ferrer E. G., Apella M. C.: Spektroskopische Eigenschaften von Bis(imidazol)kupfer (II) Diacetat 21
Baran E. J.: Mittler Schwingungsamplituden von $OTeF_5^-$ 479
Barret R., Daudon M.: Transformation of acridines and azepines into the corresponding 3-oxo-heterocycles by means of hypervalent aromatic iodine compounds 323
Bartsch U., s. Gustav K.
Baumegger A., Hengge E., Gamper S., Hardtweck E., Janoschek R.: Molecular properties of some new cyclic ethynylsilanes 661
Bayomi S. M., Al-Rashood K. A.: Synthesis of certain pyrrolo[2,3-b]pyridine-5-carboxylic acid derivatives as potential antimicrobial agents 725
Belaj F., s. Schramm H. W.
Bellmann P., s. Schäfer H.
Bhattamisra S. D., Tripathy S.: Kinetics of *EDTA* substitution of N,N′-ethylenedisalicylamidato cuprate(II) in alkaline media 27
Bischer A., s. Neidlein R.
Blaha H., s. Unfried P.
Boháč A., Perjéssy A., Loos D., Hrnčiar P.: Structure elucidation of acetylation products of 2-acyl-1,3-indanediones by correlation of infrared spectral data 943
Bolewski L., s. Wojciechowska A.
Brunette J.-P., s. Lakkis M., Tayeb A.
Brunner H., Zintl H.: Asymmetrische Katalysen, 65. Mitt.: Verapamilbausteine durch enantioselektive Alky-

lierung von α-Isopropyl-3,4-dimethoxybenzylcyanid 841
Brunvoll J., s. Cyvin S. J.
Buchbauer G., Kählig H., Spreitzer H., Wegscheider W.: Analytik und Geruch isomerer cyclischer Acetale mit Norbornanstruktur 1089

Cabrera A., Diaz-Tejeda A., Marquez C., Valdés-Martínez J.: Semicarbazones and thiosemicarbazones, XIII. Study of the hydrolysis of coordinated thiosemicarbazones 235
Carugo O., s. Castellani C. B.
Castellani C. B., Carugo O., Rizzi M.: Synthesis and spectroscopic properties of europium(III) and terbium(III) complexes with pyrano[2,3-b]pyridine ligand 1005
Chiste G., Egg H., Kraus K., Pipitz E., Spanyar E.: Reaction of 1,2-diarylhydrazines with acetic anhydride catalysed by 4-(dimethylamino)-pyridine 537
Christian R., s. Hartmann M.
Christian R., Schulz G., Zbiral E.: Solution conformation of the two alditols obtained by sodium borohydride reduction of N-acetylneuraminic acid 521
Claret J., s. Albalat R.
Clarke D. D., s. Gershon H.
Clifton A. A., s. Osborne A. G.
Cyvin B. N., s. Cyvin S. J.
Cyvin S. J., Cyvin B. N., Brunvoll J., Gutmann I.: Kekulé structure count for some classes of all-benzenoid and all-coronoid hydrocarbons 771
Cyvin S. J., Cyvin B. N., Brunvoll J., Hosoya H., Fuji Z., Klein D. J., Rongsi C., Polansky O. E.: Kekulé structure counts: General formulations for primitive coronoid hydrocarbons 435
Czakis-Sulikowska D. M., Kuźnik B., Malinowska A.: Solvent extraction of lanthanide ions with 1-phenyl-3-methyl-4-benzoyl-pyrazolone-5 (*HPMBP*), III. Extraction of Gd(III), Tb(III), Dy(III), Ho(III), and Th(III) by *HPMBP* from aqueous solutions 789
Czech K., Haider N., Heinisch G.: Pyridazines, LIV. On the synthesis of pyridazine-fused S-heterocycles. Thieno[2,3-c]pyridazine, pyrimido[4′,5′:4,5]thieno[2,3-c]pyridazine, and pyridazino[3,4-b][1,4]benzothiazine 413

Dash B. C., Tripathy P. K., Kanungo B. K.: Mixed chelates of some trivalent lanthanide ions containing (*trans*-1,2-cyclohexylenedinitrilo)tetraacetate and norleucinate 341
Daudon M., s. Barret R.
Diaz-Tejeda A., s. Cabrera A.
Djudjić R., Trkovnik M.: Syntheses of angular condensed ring systems combining a benzodiazepinic or benzothiazepinic with a coumarinic moiety 77
Dölling W., Herrmann C., Augustin M., Ahnert R., Heinemann F., Hartung H.: Synthese von 3,3-Bis(alkylthio)-2-(2-thioxo-benzo-2*H*-1,3-thiazol-3-yl)-acrylsäure-Derivaten und Kristallstruktur des entsprechenden Ethyl-3,3-Bis(methylthio)acrylats 359
Donnelly J. A., Higginbotham C. L.: O-Heterocycles by the cyclization of side-chain bromomethoxylated 2′-acetoxychalcones 83
Dudás J., s. Földényi R.
Dungler K., s. Noe C. R.
Dworczak R.: Spiro[indol- und Spiro[inden-pyrano[2,3-c]pyrazole] aus Cyanmethylenderivaten und Pyrazolonen. Synthesen mit Nitrilen, 88. Mitt. 731

Ebraheem K. A. K.: ^{1}H, ^{13}C, and ^{19}F NMR studies on the structure of the intramolecularly hydrogen bonded

cis-enols of 2-trifluoroacetylcycloalkanones 157
Egg H., s. Chiste G.
Eitel M., s. Pindur U.
El Sayed A., Abd el Rehim S. S., Mansour H.: Electrochemical behaviour of indium electrode in concentrated KOH solutions at different temperatures 1019
El-Seify F. A. A., s. Omar M. M.
Elwy H. A., s. Aboutabl M. A.
Elzawawy F. M.: A thermodynamic study of La(III)-*L*-alanine complexes 17
Elzawawy F. M.: Complex formation constants and thermodynamic parameters for La(III) and Y(III) *L*-serine complexes 921
Ertl P., s. Oravec P.
Ertl P.: Energies of excited states calculated with MINDO and AM1 1015
Ettmayer P., s. Noe C. R.

Fahmy H. M., s. Aboutabl M. A.
Falk H., s. Wagner U.
Falk H., Marko H.: Reduction of a bilindione-10-thiol-adduct as a model of the reduction step of the biliverdin reductase system 319
Falk H., Schoppel G.: A synthesis of emodin anthrone 739
Fanghänel E., s. Kordts B.
Ferenc W.: Magnetic moments of lanthanide 3-, 4-nitrobenzoates and 3,4-dinitrobenzoates 653
Ferrer E. G., s. Baran E. J.
Fišera L., s. Oravec P.
Fleischhacker W., Richter B., Völlenkle H.: 14,17-Cyclonorcodeinondimethylacetal: Ein neues, reaktionsfreudiges Codeinonderivat, 2. Mitt. 399
Föhlisch B., s. Hebda C.
Földényi R., Dudás J.: Neue Cyanoisothioharnstoffe als Pflanzenschutzmittel 745
Földesi A., s. Lorand T.
Fontana W., Griesmacher T., Schnabl W., Stadler P. F., Schuster P.: Statistics of landscapes based on free energies, replication and degradation rate constants of RNA secondary structures 795
Fuji Z., s. Cyvin S. J.

Gärtner P., s. Noe C. R.
Gałdecki Z., Luciak B., Małkiewicz A., Nawrot B.: Kristallstruktur und Konformation von 5-Carboxymethylaminomethyluridin-Monohydrat 487
Gałdecki Z., Luciak B., Redliński A. S., Kaczmarek K., Leplawy M. T.: Synthese, Kristallstruktur und Konformation von N2-Dibenzyl-N1-*tert*-butoxycarbonylhydrazin 37
Gamper S., s. Baumegger A.
Gažo R., s. Oravec P.,
Gershon H., Clarke D. D.: Improved syntheses of some monochloro and monobromo-8-quinolinols 935
Gewald K., s. Schäfer H.
Giester G., Wildner M.: Synthesis and crystal structure of monoclinic $Fe_2(SeO_4)_3$ 617
Giester G.: Crystal structure of synthetic $Cu_2SeO_4(OH)_3$ 229
Görz H., Schönherr S., Pertlik F.: Darstellung und Eigenschaften von Heteropolykationenverbindungen, IV. Natriumdodekaaluminogalliumsulfat, Darstellung und Struktur 759
Göstl G., s. Noe C. R.
Goetz-Grandmont G. J., s. Lakkis M., Tayeb A.
Goljer I., s. Oravec P.
Griesmacher T. s. Fontana W.
Großmann G., s. Schäfer H.
Gründemann E., s. Vieth S.
Gruner M., s. Schäfer H.
Grynkiewicz G., s. Priebe W.
Gustav K., Bartsch U.: Spektroskopische Untersuchungen an organischen Carbonylverbindungen, 5. Mitt.: Zum Einfluß des π-Chromo-

phors auf das elektronische Spektralverhalten von dimethylaminophenyl-substituierten β-Diketonen bei Kettenverlängerung und Variation der Arylsubstituenten 269
Gustav K., Bartsch U.: Spektroskopische Untersuchungen an organischen Carbonylverbindungen, 7. Mitt.: Zum Absorptions- und Fluoreszenzverhalten sowie zur Laserfähigkeit von Cinnamoyl-benzylmethanen mit unterschiedlichen Amino-Substituenten 565
Gustav K., Storch M.: Vibronisches Spektralverhalten von Molekülen, 19. Mitt.: S1→So-Fluoreszenz des Phenanthrens im Rahmen der Herzberg-Teller-Näherung erster Ordnung 483
Gusterhuber D., s. Likussar W., Schubert-Zsilavecz M.
Gutmann I., s. Cyvin S. J., Taha A.

Haber M., s. Pindur U.
Haider N., s. Czech K.
Hammerschmidt F.: Markierte Vertreter eines möglichen Zwischenprodukts der Biosynthese von Fosfomycin in *Streptomyces fradiae*. Darstellung von (*R,S*)-(2-Hydroxypropyl)-, (*R,S*)-, (*R*)-, (*S*)-(2-Hydroxy-[1,1^{2}H$_2$]propyl)- und (*R,S*)-(2-[^{18}O]Hydroxypropyl)phosphonsäure 389
Hardtweck E., s. Baumegger A.
Hartmann M., Christian R., Zbiral E.: Structural variations of N-acetylneuraminic acid, 19. Synthesis of both epimeric pairs of the 4-C-methyl- and 4-deoxy-4-C-methyl as well as the β-methylketoside of 4-deoxy-4-C-methylene-N-acetylneuraminic acid. Behaviour towards CMP-sialate synthase 111
Hartmann M., Zbiral E.: Structural variations of N-acetylneuraminic acid, 24. Synthesis of the α-methylketoside of 8-oxo-N-acetylneuraminic acid and related derivatives 995
Hartung H., Dölling W.
Hashem E. Y., s. Idriss K. A.
Hassan A.: Polarographic behaviour and determination of selenite and tellurite in simple solutions or in a binary mixture 605
Hassan A. M. M., Badawey E.-S. A. M.: Oxadiazole condensed ring systems, II. Synthesis of new 2-aryl-1,3,4-oxadiazolo[3,2-a]-*s*-triazine-5,7-diones 43
Hassan M. K., Hassan R. M., Abd-Alla M. A.: Synthesis and characterization of high-spin iron(III)-sulpha drug complexes and their biological activity 829
Hassan R. M., s. Hassan M. K.
Hatada K., s. Simonsick W. J.
Hebda C., Szykuła J., Orpiszewski J., Föhlisch B.: Studies on annelation of (+)-2-caranone 1029
Heinemann F., s. Dölling W.
Heinisch G., s. Czech K.
Heinich G., Holzer W., Huber T.: Pyridazines, LVIII. 1-Phenyl-1-pyridazinyl-2-substituted ethenes. Synthesis and configuration 1055
Hengge E., s. Baumegger A., Janoschek R.
Herrmann C., s. Dölling W.
Higginbotham C. L., s. Donnelly J. A.
Hill J. O., s. Roe S. P.
Holzer W., s. Heinisch G.
Hosoya H., s. Cyvin S. J.
Hrnčiar P., s. Boháč A.
Huber T., s. Heinisch G.

Idriss K. A., Saleh M. S., Sedaira H., Seleim M. M., Hashem E. Y.: Solution equilibria and stability of the complexes of pyridine-carboxylic acids. Complexation reaction of mercury(II) with 2-hydroxynicotinic acid 507
İkizler A., s. İkizler A. A.

İkizler A. A., İkizler A., Yildirim N.: Syntheses of some benzylideneamino compounds 557

Jähnisch K., s. Vieth S.
Jameson R. F., Linert W.: Complex formation followed by internal electron transfer: The reaction between cysteine and iron(III) 887
Janoschek R., s. Baumegger A.
Janoschek R., Hengge E., Stüger H., Nyulaszi L.: Photoelectron spectra of cyclopolysilanes 31
Jaroniec M., Lu X., Madey R.: Correlation between the fractional dimension and the microporous structure of a solid 577
Jelikić-Stankov M., s. Malešev D.
Johmann A. A., s. Neidlein R.
Jordis U., s. Sauter F.

Kaczmarek K., s. Galdecki Z.
Kadum S. A., Baker N. A., Al-Edanee T. E.: Applications of the virtual charge model on the electronic structures and spectra of benzaldehyde and acetophenone 349
Kählig H., s. Buchbauer G.
Kalinowski M. K., s. Lada E.
Kanungo B. K., s. Dash B. C.
Kappe T., s. Stadlbauer W.
Kikelj D., Krbavčič A., Pečar S., Tomažič A.: Synthesis and functionalisation of *trans*-2-(2′-aminocyclohexyloxy)- and trans-2-(2′-azidocyclohexyloxy)acetic acid 275
Klein D. J., s. Cyvin S. J.
Klouras N.: $(CH_3)_2Si(C_5H_4)_2ZrS_5$: Ein verbrücktes Zirconocenpentasulfid-Chelat 35
Klouras N.: Synthese von ringsubstituierten Titanocen-Sulfidotetraselenid-Chelaten 533
Klouras N., Nastopoulos V.: The crystal and molecular structure of bis(trimethylsilylcyclopentadienyl)titanium(IV) dichloride, $Ti(\eta^5\text{-}C_5H_4SiMe_3)_2Cl_2$ 551
Knollmüller M., s. Noe C. R.
Koberg H., s. Noe C. R.
Kordts B., Richter A. M., Fanghänel E.: Addition compounds of nucleophiles and 3-ethylthio-6-oxo-6*H*-1,2-dithiolo[4,3-c]-1,2-dithiolium tetrafluoroborate. Synthesis of 3*H*,6*H*-1,2-dithiolo[4,3-c]-1,2-dithiole-3-one-6-thione 71
Kozioł J.: Spectroscopic and theoretical investigation of molecular complexes of 2,4,6-trinitropyridine-1-oxide with some pyridine derivatives 47
Kratky C., s. Schlögl K., Schramm H. W., Wagner U.
Kraus K., s. Chiste G.
Krbavčič A., s. Kikelj D.
Kremminger P., Weissensteiner W.: Synthesis, stereochemical characterisation and absolute configuration of enantiomerically pure complexes with sexidentate ligands 571
Krois D.: Geometry versus basicity of bilatrienes: Stretched and helical protonated biliverdins 495
Krois D., Lehner H.: Conformation control of bilatrienes by peptides: a survey 89
Künne L. D.: Die Bindungsverhältnisse in der Clusterverbindung CZr_6I_{14} 625
Kürner H., s. Noe C. R.
Kuźnik B., s. Czakis-Sullikowska D. M.

Lada E., Kalinowski M. K.: Electrochemical studies of Tl(I) crown ether complexes in nonaqueous media 1
Lakkis M., Lakkis Z., Goetz-Grandmont G. J., Brunette J.-P.: Extractrion of cobalt(II) with mixtures of 4-acyl-pyrazol-5-ols and aliquat 336 in toluene: Effect of the pyrazolol substituents 9
Lakkis Z., s. Lakkis M.
Larena A., Martinez-Urreaga J.: Solvent effects in the reaction of luci-

genin with basic hydrogen peroxide: Chemiluminescence spectra in mixed polar solvents 697
Larena A., Martinez-Urreaga J.: Solvent effects on chemiluminescence from the hydrogen peroxide-lucigenin reaction: kinetics of light emission in mixed polar solvents 907
Laschober R., s. Stadlbauer W.
Lehner H., s. Krois D.
Leplawy M. T., s. Galdecki Z.
Lévai A.: Synthesis of carboxylic acide derivatives of dihydrochalcones 127
Lévai A.: Fused heterocycles, VI. Reactions of 3-arylidenechromanones and -1-thiochromanones with thiourea 691
Li Z., s. Schlögl K.
Likussar W., Michelitsch A., Schubert-Zsilavecz M., Gusterhuber D.: Synthese und polarographisches Verhalten von 2*H*-isoindol-4,7-dionen 987
Likussar W., s. Schubert-Zsilavecz M.
Linert W., s. Jameson R. F., Taha A.
Lomozik L., s. Wojciechowska A.
Lomp T., s. Pindur U.
Loos D., s. Bohac A.
Lóránd T., Földesi A., Aradi F.: On the tautomerism of 2,4-disubstituted 3,4,5,6-tetrahydrobenzo[h]quinazolines 209
Lu X., s. Jaroniec M.
Lu Y., s. Neidlein R.
Luciak B., s. Gałdecki Z.

Madey R., s. Jaroniec M.
Magd El Din A. A., s. Aboutabl M. A.
Magee R. J., s. Roe S. P.
Majdan M., s. Sadowski P.
Malešev D., Radović Z., Jelikić-Stankov M.: Investigation of molybdate(II)-3-hydroxyflavone complex 429
Malinowska A., s. Czakis-Sulikowska D. M.
Małkiewicz A., s. Gałdecki Z.
Mansour H., s. El Sayed A.
Marko H., s. Falk H.
Marquez C., s. Cabrera A.
Martinez-Urreaga J., s. Larena A.
Melgarejo M., s. Quijano L.
Michelitsch A., s. Likussar S., Schubert-Zsilavecz M.
Miculka C., s. Noe C. R.
Mikhailov O. V.: Complexing processes on the immobilized matrices of hexacyanoferrate(II) copper(II) and nitrogen-sulfur-containing ligands in thin gelatin layer 595
Mittelbach M., s. Poklukar N.
Müller C., s. Albalat R.
Müller-Buschbaum Hk., s. Soll M.

Nastopoulos V., s. Klouras N.
Nawrot B., s. Gałdecki Z.
Neamati N., s. Priebe W.
Neidlein R., Bischer A.: Synthese und chemische Reaktionen substituierter 4,8-Dioxo-4*H*,8*H*-benzodiisoxazoliumsalze 371
Neidlein R., Johmann A. A.: Kupplungsreaktionen von Diazoniumbetainen mit 1,6-Methano[10]annulenderivaten und ihre Cyclisierungsreaktionen zu Heterocyclen 215
Neidlein R., Lu Y.: Neue Synthesewege zu aminosubstituierten 1,6-Methano[10]annulenderivaten 171
Neidlin R., Winkler R.: Synthesen und Eigenschaften ethinylierter und trimethylsilylethinylierter Molekülsysteme mit 1,6-Methano[10]-annulen-Partialstruktur 177
Nielsen C. M., s. Abdel-Megied A. E.-S.
Noe C. R., Knollmüller M., Dungler K., Gärtner P.: Pheromone II. Ein Verfahren zur Herstellung von Ketonen und Spiroketalen durch Entschwefelung von Thienylethern 185
Noe C. R., Knollmüller M., Dungler K., Miculka C., Gärtner P.: Ein Verfahren zur Synthese enantiomeren-

reiner Alkanole durch reduktive Entschwefelung von Thiophenalkoholen 705
Noe C. R., Knollmüller M., Göstl G., Gärtner P.: Aminoalkohole 1. Mitt.: Ein Verfahren zur Synthese enantiomerenreiner 1,2-Aminoalkohole mit *erythro*-Konfiguration 283
Noe C. R., Knollmüller M., Kürner H., Steinbauer G., Koberg H., Gärtner P.: Pheromone 1. Mitt.: (+)-*cis*-Disparlure: Synthese und Feldtests 101
Noe C. R., Knollmüller M., Steinbauer G., Wagner E., Kürner H., Ettmayer P., Völlenkle H.: Pheromone, 3. Mitt.: Eine einfache Methode zur Steuerung der Reduktion von α-Alkoxy-carbonylverbindungen 299
Nogueras M., s. Quijano L.
Nyulaszi L., s. Janoschek R.

Omar M. M., El-Seify F. A. A.: Metal chelates of benzimidazolylazo derivatives 445
Omar M. T., Youssif A. M.: (*E*)-,(*Z*)-Interconversion in aroylmethyl-5-arylmethylene-2,4-dioxo-1,3-thiazolidines 263
Oravec P., Fišera L., Ertl P., Végh D.: Regioselectivity in the 1,3-dipolar cycloaddition of nitrile oxides to 3,3-methylene-5,5-dimethyl-2-pyrrolidinone 821
Oravec P., Fišera L., Gažo R.: Regio- and stereoselective 1,3-dipolar cycloaddition of arylnitrile oxides to 5-acetoxy-2(5*H*)-furanone 165
Oravec P., Fišera L., Goljer I., Ertl P.: Regio- and stereoselectivity in the 1,3-dipolar cycloaddition of C,N-diarylnitrones to 3,3-methylene-5,5-dimethyl-2-pyrrolidinone 977
Orpiszewski J., s. Hebda C.
Osborne A. G., Clifton A. A.: Ultrasound promoted coupling of aryl and hetaryl halides in the presence of lithium wire. Formation of dimeric and dehalogenated products 529

Parihar D. S., s. Prasad R. N.
Pečar S., s. Kikelj D.
Pedersen E. B., s. Abdel-Megied A. E.-S.
Perjési P., Sohár P.: Synthesis of partially saturated N-substituted 4*H*-3,1-benzothiazine-2-thiones 1047
Perjéssy A., s. Boháč A.
Pertlik F., s. Görz H.
Pfeuffer L., s. Pindur U.
Pindur U., Lomp T.: Bis(indanyl)- and bis(indenyl)arylmethanes. New molecular three-bladed propellers 927
Pindur U., Pfeuffer L., Eitel M., Rogge M., Haber M.: Diels-Alder-Reaktionen von Vinylindolen mit Arin und 1,4-Benzochinonen: Neue potentielle DNA-Interkalatoren 291
Pipitz E., s. Chiste G.
Poklukar N., Mittelbach M.: Ozonolysis of olefins, V. Emulsion ozonization of methyl linoleate and methyl linolenate in aqueous alkaline hydrogen peroxide 719
Polansky O. E., s. Cyvin S. J.
Prasad R. N., Parihar D. S.: Complexes of a new series of diimine macrocycles, I. Template synthesis of cadmium(II) complexes of tetraaza-macrocycles derived from 2,3-butanedione or benzil 683
Priebe W., Grynkiewicz G., Neamati N.: Synthesis of new 1-C-(2-furyl)- and 3-C-(2-furyl)-hexopyranosides and 3-C-(2-furyl)daunorubicin analogs 419

Quijano L., Nogueras M., Melgarejo M., Sánchez A.: Reaction of 6-glucopyranosylaminopyrimidin-4-ones with malonic acids. Synthesis of 8-glycopyranosylpyrido[2,3-d]pyrimidin-4-one derivatives 255

Radović Z., s. Malešev D.

Ramer W., s. Sauter F.
Reck G., s. Vieth S.
Redliński A. S., s. Gałdecki Z.
Richter A. M., s. Kordts B.
Richter B., s. Fleischhacker W.
Rizzi M., s. Castellani C. B.
Roe S. P., Hill J. O., Magee R. J.: An infrared and electronic spectroscopic study of a series of nickel(II) amine complexes 467
Rogge M., s. Pindur U.
Rongsi C., s. Cyvin S. J.
Rossmanith K., Unfried P.: Einfluß von Magnesiumnitrat auf die Trennung von Yttererden in großem Maßstab durch thermische Zersetzung mit nachfolgender stufenweiser Hydrolyse 247
Rossmanith K., s. Unfried P.

Sadowski P., Majdan M.: Study of the complexation in the $Nd^{3+} - SCN^-$ system 241
Saleh M. S., s. Idriss K. A.
Sánchez A., s. Quijano L.
Saracoglu A. I., s. Schramm H. W.
Sarret M., s. Albalat R.
Sauter F., Stanetty P., Ramer W., Sittenthaler W.: Fungizide Pyridinderivate, IV. α-Trifluormethyl-3-pyridinmethanole 879
Sauter F., Stanetty P., Schulner J., Sittenthaler W., Jordis U.: Fungizide Pyridinderivate, II. Derivatisierung von α-Trichlormethyl-3-pyridinmethanol 863
Sauter F., Stanetty P., Sittenthaler W.: Fungizide Pyridinderivate, III. Unerwarteter Verlauf nukleophiler Substitutionen an einem Pyridinderivat 871
Schäfer H., Gewald K., Bellmann P., Gruner M.: Synthese und Reaktionen von 2-Arylhydrazono-2-cyan-N,N-dialkylacetamidinen 195
Schäfer H., Gruner M., Großmann G., Gewald K.: Zur Synthese und Struktur von 8-Nitro-imidazo[1,2-a]pyridinen 959
Schlögl K., Li Z., Kratky C.: Static and dynamic stereochemistry of 1,1′-bi(9,10-dihydro-9,10-ethano-anthryl) 1097
Schnabl W., s. Fontana W.
Schönherr S., s. Görz H.
Schoppel G., s. Falk H.
Schramm H. W., Schubert-Zsilavecz M., Belaj F.: Über Synthese und Struktur des *p*-Tolylbiguanid-Zimtaldehyd-Kondensats in ethanolischer Salzsäure 949
Schramm H. W., Schubert-Zsilavecz M., Saracoğlu A. I., Kratky C.: Über Reaktionen von Alkylbiguaniden mit Benzoin beim *pH* der Biguanidbasen 1063
Schubert-Zsilavecz M., s. Likussar W., Schramm H. W.
Schubert-Zsilavecz M.: Zur Umsetzung von 3,4-Dihydro-8a-methoxy-2*H*-1,4-benzoxazin-6(8a*H*)-onen mit Diazoalkanen, 1. Mitt. 51
Schubert-Zsilavecz M.: 4a,6-Bis-(N-methylanilino)-7-hydroxy-2,3,8-trimethyl-4a,9a-dihydroxanthen-1,4-dion: Ein Thermolyseprodukt von 6-(N-Methylanilino)7a-methyl-3a,7a-dihydroindazol-4,7-dion 545
Schubert-Zsilavecz M., Likussar W., Gusterhuber D., Michelitsch A.: 2*H*-Isoindol-4,7-dione durch Addition von Azomethinyliden an 1,4-Benzochinone 383
Schulner J., s. Sauter F.
Schulz G., s. Christian R.
Schuster P., s. Fontana W.
Sedaira H., s. Idriss K. A.
Seleim M. M., s. Idriss K. A.
Serra S., Sesé M. L., Trull F. R.: Polymer bound pyrrole compounds, VII. Xanthobilirubinic acid esters and amides from an insoluble, polystyrene-supported precursor 673
Sesé M. L., s. Serra S.
Simonsick W. J., Xi F., Hatada K., Vogl O.: Haloaldehyde polymers, XLIX. Analysis of linear bornyl ox-

ide initiated, acetate endcapped chloral oligomers by potassium ionization of desorbed species mass spectrometry 967
Sittenthaler W., s. Sauter F.
Sobczynski A.: Hydrogen photoproduction from water-methanol on titania covered with copper 645
Sohár P., s. Perjési P.
Soll M., Müller-Buschbaum Hk.: Das erste Alkalimetall-Argentato-Mercurat(II): $BaAg_2Hg_2O_4$ 915
Spanyar E., s. Chiste G.
Špirkova K., s. Stankovsky S.
Spreitzer H., s. Buchbauer G.
Stadlbauer W., Laschober R., Kappe T.: Potential non-steroidal estrogens and antiestrogens, 4. Organic azides in heterocyclic synthesis, 13. Synthesis of aza- and diazacoumestrols via azido derivatives 853
Stadler P. F., s. Fontana W.
Stanetty P., s. Sauter F.
Stankovsky S., Špirkova K.: Amidinoyl isothiocyanates in the synthesis of condensed heterocycles. Tetrazolo-azomethine tautomerism in substituted tetrazolo[1,5-c]quinazolines 849
Steinbauer G., s. Noe C. R.
Stejskal R., Urban E., Völlenkle H.: Synthese und Konfigurationszuordnung von potentiell antimikrobiellen 5,6-Dihydroxyisobenzofuranonen 145
Storch M., s. Gustav K.
Stüger H., s. Janoschek R.
Szykuła J., s. Hebda C.

Taha A., Gutmann V., Linert W.: Spectroscopic and thermodynamic studies on solvatochromic nickel(II) complexes 327
Tayeb A., Goetz-Grandmont G. J., Brunette J. P.: Analytical and spectroscopic study of indium extraction with 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione and its mixtures with tri-N-octylphosphine oxide 453
Tomažič A., s. Kikelj D.
Tripathy P. K., s. Dash B. C.
Tripathy S., s. Bhattamisra S. D.
Trkovnik M., s. Djudjic R.
Trull F. R., s. Serra S.

Unfried P., s. Rossmanith K.
Unfried P., Rossmanith K., Blaha H.: Zwei neue basische Yttrium-Nitrate: $Y(OH)_x\ (NO_3)_{3-x} \cdot H_2O$ und $YO_{x/2}\ (NO_3)_{3-x}$ ($x = 1.5$) 635
Urban E., s. Stejskal R.

Valdés-Martínez J., s. Cabrera A.
Varveri F. S., s. Amarilio D. S.
Végh D., s. Oravec P.
Vieth S., Gründemann E., Jähnisch K., Winter G., Reck G.: Furylvinylhalogenides, XIII. Reactions of β-chloro-α-cyano-β-(5-nitrofur-2-yl)-acrylic acid derivatives with malonic acid derivatives 1035
Völlenkle H., s. Fleischhacker W., Noe C. R., Stejskal R.
Vogl O., s. Simonsick W. J.

Wagner E., s. Noe C. R.
Wagner U., Kratky C., Falk H., Wöss H.: Crystal structure and conformation of 10-aryl-bilatrienes-abc 749
Wegscheider W., s. Buchbauer G.
Weissensteiner W., s. Kremminger P.
Wildner M., s. Giester G.
Wildner M.: Crystal structures of $Co_3(SeO_3)_3 \cdot H_2O$ and $Ni_3(SeO_3) \cdot H_2O$, two new isotypic compounds 585 Erratum 1109
Winkler R., s. Neidlein R.
Winter G., s. Vieth S.
Wöss H., s. Wagner U.
Wojciechowska A., Bolewski L., Lomozik L.: A study of polyamine complex formation with H^+,

Cu(II), Zn(II), Pb(II), and Mg(II) in aqueous solution 131

Xi F., s. Simonsick W. J.

Yildirim N., s. İkizler A. A.

Youssif A. M., s. Omar M. T.

Zbiral E., s. Bandgar B. P., Christian R., Hartmann M.

Zintl H., s. Brunner H.

Sachverzeichnis/Subject Index

Ab initio calculations, cyclopolysilanes 31
Acetals 705, 1089
2-Acetamido-5-halophenyl acetates 935
Acetophenone, electronic structure calculation 349
5-Acetoxy-2(5*H*)-furanone 165
2-(1-Acetoxyalkylidene)-1,3-indanediones 943
2-(1-Acetoxybenzylidene)-1,3-indanediones 943
4-Acetyl-1,2-diaryl-1,2-dihydro-5-methyl-3*H*-pyrazol-3-ones 537
N-Acetylneuraminic acid 521
N-Acetylneuraminic acid derivatives 111
4-Acyl-pyrazol-5-ol, extraction with 9
Aetiobiliverdin-IV 749
Akylation 399
L-Alanine, complexes 17
Alcoholysis 673
Alditols of sialic acid 521
Aliquat 336, extraction with 9
Alkaline earth, argentato-mercurate(II), X-ray 915
Alkanols, enantiomerically pure 705
5-Alkoxymethyluracils 59
N-Alkylation methods 139
Alkylbiguanides, reaction with benzoin 1063
All-benzenoid hydrocarbons 771
All-coronoid hydrocarbons 771
Allyl anions 1035
Allylation 841
Alumino-sodium-galliumsulfate-ikosihydrate, X-ray 759
Am1 calculations 821, 1015
Am1 calculations, silanes 661
Amidinoylisothiocyanate 849
Amine complexes, nickel(II) 467
Amines, biogenic 131
2-Amino-1,3,4-oxadiazoles 43
4-Amino-4,5-dihydro-1,2,4-triazol-5-ones 557
4-Amino-*N*-methylphthalimide 139
1,2-Amino-alcohols, enantiomerically pure 238
trans-2(2'-Aminocyclohexyloxy)acetic acid 275
Aminolysis 673
Analytical determination, selenite, tellurite 605
Anhydrous ferric selenate(VI) 617
Annelation, of (+)-2-caranone 1029
[10]Annulenes 171, 215
Antibacterial 829
Antimicrobial agents 725
Antlerite type structure 229
Argentato-mercurate(II), barium-, X-ray 915
3-Aroylmethyl-5-arylmethylene-2,4-dioxo-1,3-thiazolidines 263
3-Aryl-2-cyanothioacrylamides 765
10-Aryl-bilatrienes-abc, X-ray 749
2-Arylhydrazono-2-cyano-*N,N*-dialkylacetamidines 195
3-Arylidene-1-thiochromanones, reactions 691
3-Arylidenechromanones, reactions 691
Arylmethylation, of indans, indenes 927
Aurone 83
Autocorrelation functions 795
Azacoumestans 853
Azamacrocycles 683

trans-2-(2′-Azidocyclohexyloxy)acetic acid 275
Azo dyes 215, 445
Azomethinylides 383

Barium-argentato-mercurate(II), X-ray 915
Benzaldehyde, electronic structure calculation 349
Benzenoid hydrocarbons 771
Benzimidazolylazo derivatives, chelates 445
Benzo[h]quinazolines 209
Benzoin, reaction with alkylbiguanides 1063
8*H*-[1]-Benzopyrano[3,4-b]-1,5-benzodiazepin-8-one 77
Benzopyrano[4,3-d][3,1]-thiazines 691
Benzopyrano[4,3-d]pyrimidines 691
1,4-Benzoquinone 383
4*H*-3,1-Benzothiazine-2(1*H*)-thiones, N-substituted 1047
Benzothiopyrano[4,3-d][3,1]-thiazines 691
Benzothiopyrano[4,3-d]pyrimidines 691
Benzoxazinones 51
5-Benzoyloxy-2(5*H*)-furanone 165
Benzylidenamino compounds 557
1,1′-Bi(9,10-dihydro-9,10-ethano-anthryl), X-ray 1097
Bicyclic acetals 1089
Bicyclo[2.2.1]heptene derivatives 1089
Bilatriene-abc 749
Bilatrienes, geometry and basicity 495
Bilatrienes, non-helical 89
Bile pigments 89, 319
Bilindione-10-thiol adduct, reduction 319
Bilipeptides 89
Biliverdin dimethylester 319
Biliverdin reductase 319
Biliverdins, bridged 495
Biliverdins, protonated 495
Biogenic amines 131
Bipyridines 529
Bis(4-acrylpyrazol-5-ol) derivative 453
3,3-Bis(alkylthio)acrylonitriles 359
Bis(imidazol)copper(II) diacetate 21
Bis(trimethylsilylcyclopentadienyl)titanium(IV), X-ray 551
Bis-(trifluoroacetoxy)pentafluoroiodobenzene 323
Bis[indenyl]arylmethanes 927
Bond properties, $OTeF_5^-$ 479
Bornyl oxide initiation 967
Bridged zirconocene pentasulfide chelate 35
α-Bromo-β-methoxydihydrochalcone 83
α-Bromochalcone 83
3-Bromoflavone 83

Cadmium(II), tetrazamacrocyclic complexes 683
(+)-2-Caranone 1029
Carbohydrates, unsaturated 419
Carboxylic acid derivatives, synthesis 127
5-Carboxymethylaminomethyluridine, X-ray 487
Catalysis, by 4-(dimethylamino)pyridine 537
Cation-cation interaction 467
Chalcones 127
Chemical and chiroptical correlation 1097
Chemical bond, interstitial 625
Chemiluminescence 697, 907
Chiral discrimination 89
Chiral lactates 389
Chiroptical properties 283, 299, 389, 571, 705, 1097
Chloral oligomers 967
3-Chloro-2-propeniminium salts 959
3-Chloro-4-pyridazinecarbonitrile, reactions of 413
o-Chlorobenzaldehyde 557
Chloromethylene malononitriles 959
Cinnamaldehyde, reaction with 949
Cinnamoyl-benzoyl-methanes 565
Circular dichroism 1097
Cluster compounds, zirconium 625
Cndo/2 943
Cndo/S − CI calculation 349

Cobalt selenite, $Co_3(SeO_3)_3 \cdot H_2O$, X-ray 585
Cobalt(II) extraction 9
Cobalt(II), chelates 445
Codein 399
Coloc 545
Conductances 683
Configuration determination 145
Configuration interaction 1015
Configurational assignment 263
Conformation 37, 89, 487, 495, 521, 749
Conformation control, bilatrienes by peptides 89
Conformation dependent basicity 495
Conjugation, in silanes 661
Copper selenate hydroxide $Cu_3SeO_4(OH)_4$, X-ray 229
Copper(II) diacetate, bis(imidazol)- 21
Copper(II), *N,N'*-ethylenedisalicylamidato- 27
Copper(II), chelates 445
Copper(II), polyamine complex formation 131
Copper-titania, hydrogen photoproduction 645
Coronoid hydrocarbons 435, 771
Correlation lengths 795
Coumarin, 3-aryl, 4-hydroxy-/4-chloro/4-azido 853
Coupling of aryl and hetaryl halides 529
Crown ether complexes 1
Crystal structure, s. X-ray
Cyano-isothiourea 745
2-Cyanothioacrylamides, 3-aryl- 765
Cyclisation, side chain bromomethoxylated 2'-acetoxychalcones 83
Cyclization 725
Cycloaddition 731
Cycloaddition, 1,3-dipolar 51, 165, 977, 987
Cycloaddition, of nitrile oxides 821
(*trans*-1,2-Cyclohexylendinitril)tetraacetate 341
14,17-Cyclonorcodeinondimethylacetal, X-ray 399
Cyclopentadienyl complexes 533
Cyclopolysilanes 31
Cyclopropanes 1035
Cyclovoltammetry 987
Cysteine-iron(III) complex 887
Cysteine oxidation 887

Daunorubicin analogs 419
Degradation rate constant 795
Desulfurisation 71, 185, 705
Deuterium labelling, (2-hydroxypropyl)phosphonic acids 389
Diamines 327
1,2-Diaryl-1,2-dihydro-5-methyl-3*H*-pyrazol-3-ones 537
Diastereoselective synthesis 571
N-Dibenzyl-*tert*.butoxycarbonylhydrazin, X-ray 37
β-Dicarbonyl compounds 269
2',3'-Dideoxycytidines 59
2',3'-Dideoxynucleosides 59
2',3'-Dideoxyuridines 59
Diels-Alder reactions 291
3,7-Diethoxy-4*H*,8*H*-benzo[1,2-c:4,5-c']-diisoxazol-4,8-dion 371
2,3-Dihydro-1*H*-pyrrolo[2,1-a]isoindole-6,9-diones 383
Dihydrochalcones 127
1,4-Dihydropyrimidines, substituted 195
1,2-Dihydrotriazines 949
4a,9a-Dihydroxanthenedione 545
5,6-Dihydroxyisobenzofuranones 145
Diisoxazolium compounds 371
1,3-Diketones 327, 565
4-(Dimethylamino)pyridine, catalysis with 537
1,2-Diols, enantiomerically pure 299
Dioxaethylmethyltricyclo[7.2.1.$0^{2,8}$]dodecane 1089
4,8-Dioxo-4*H*,8*H*-benzodiisoxazolium salts, substituted 371
1,3-Dipolar cycloaddition 51, 977, 987
1,3-Dipolar cycloaddition, of nitrile oxides 165, 821
(+)-*cis*-Disparlure 101
Dithiocarboxylation 359
3*H*,6*H*-1,2-Dithiolo[4,3-c]1,2-dithiole-3,6-dithione 71

3*H*,6*H*-1,2-Dithiolo[4,3-c]1,2-dithiole-3-one-6-thione 71
Dna intercalators 291
Donor number 1

Edta substitution 27
Electrocatalysis 425
Electrochemistry 1, 425, 605, 765, 987, 1019
Electron transfer reactions 887
Electronic spectra 21, 47, 269, 349, 429, 467, 495, 507, 567
Electronic structure, benzaldehyde, acetophenone 349
Electrophilic substitution 419
Electroreduction 765
Emodin anthrone 739
Enantiomerically pure 283, 299
Enantiomerically pure alkanols 705
Enantioselective chromatography 1097
Enantioselective synthesis 101
Enantioselectivity 841
Enol forms 157
Erythro configuration 283
2-Ethinyl-1,6-methano[10]annulene 177
Ethoxycarbonyl isocyanate 43
N,*N*'-Ethylenedisalicylamidato cuprate(II) 27
Ethylthio-6-oxo-6*H*-1,2-dithiolo[4,3-c]-1,2-dithiolium tetrafluoroborate 71
Ethynylsilanes 661
Europium(III), Pyrano[2,3-b]pyridine complex 1005
Excitation energies 1015
Extraction of Co(II) 9
Extraction, lanthanide ions 789

Fatty esters, ozonization 719
Ferric selenate, anhydrous, X-ray of 617
Field tests, (+)-*cis*-disparlure 101
Flavone 83
Fluorescence, cinnamoyl-benzoylmethanes 565
Fluorescence, dicarbonyl compounds 269
Fluorescence, phenanthrene 483
3-Formyl-4-hydroxycoumarin 77
Fosfomycin 389
Fractal surfaces 577
Fungicides 863, 871, 879
Furan 419
3-*C*-(2-Furyl)-daunorubicin analogs 419
2- and 3-*C*-(-2-Furyl)-hexopyranosides 419

Galliumsulfate-ikosihydrate, sodium-dodecaalumino-, X-ray 759
Garlicin 145
Gas adsorption 577
8-Glucopyranosylpyrido[2,3-d]pyrimidin-4-ones 255
Glycals 419
Glycoside, methyl-, synthesis 995
C-Glycosides 419

Herzberg-Teller approach 483
Heteropolycation compounds 759
Hexacyanoferrate(II)-copper(II)-ligand matrix 595
High pressure synthesis 915
High-spin iron(III)-sulpha drug complexes 829
Human immunodefiency virus 59
Hydrogen bond, intramolecular 157
Hydrogen bonds, short 585
Hydrogen peroxide 907
Hydrogen photoproduction 645
Hydrolysis of thiosemicarbazones 235
Hydrothermal synthesis 119, 617
2-Hydroxynicotinic acid 507
8-Hydroxyoctanoic acid 719
(2-Hydroxypropyl)phosphonic acids, H and O labelling 389
Hypericin 739
Hypervalent iodine compounds 323

Imidazo[1,2-a]pyridines, 8-nitro- 959
Imidazoles 1063
Immobilized matrix 595
Indanylarylmethanes 927

Indene 731
Indenylarylmethanes 927
Indium complexes 453
Indium electrode, in alkaline solution 1019
Indoles 731, 853
Inner sphere complexes, Nd(III) 241
Intercalators, DNA 291
Intramolecular hydrogen bond 157
Iodine compounds, hypervalent 323
Iodine, in CZr_6I_{14} cluster 625
Iodosylbenzene 323
Ir 21, 467, 479, 483, 683, 943
Iron selenate $Fe_2(SeO_4)_3$, X-ray 617
Iron(III)-cysteine complex 887
Iron(III) complexes 829
Isobenzofuranone 145
2*H*-Isoindole-4,7-diones 383
Isoindoledione derivatives 987
Isomerization 263
Isopropyl-3,4-dimethoxybenzylcyanide, alkylation 841
Isothiourea, cyano- 745
Isotopic labelling, H and O 389

Kekulé structures 435, 771
Ketene dithioacetal 359
Keto-sugars 995

Landscapes, RNA properties 795
Lanthanide ion complexes 341
Lanthanide ions, extraction 789
Lanthanide nitrobenzoates, magnetic properties 653
Lanthanum complexes 17
Lanthanum(III)-*L*-serine complexes 921
Laser efficiency 565
Lead(II), polyamine complex formation 131
Linear tetrapyrroles 749
Linoleate, methyl 719
Linolenate, methyl 719
Liquid-liquid extraction 453
Lithiation, regioselective 739
Lucigenin 697, 907
Luminescence 1005

Macrocyclic complexes 683
Magnesium(II), polyamine complex formation 131
Magnetic properties, lanthanide nitrobenzoates 653
Malonic acid derivatives 255
Manganum(II), chelates 445
Mass spectrometry, K ionization of desorbed species 967
Mating disruption 101
Mean amplitude of vibration 479
Mercurate(II), barium – argentato-, X-ray 915
Mercury(II) determination 507
Mesoxalic acid, electroreduction 425
Metal-sulfur complexes 35
Metallocenes 35, 533, 551
Metallocenophane 35
1,6-Methano[10]annulene derivatives 171, 215
1,6-Methano[10]annulene partial structure 177
1,6-Methano[10]annulene, aminosubstituted 171
Methyl glycoside, synthesis 995
Methyl, α-ketosides of sialic acid analogues 1075
Methyl-branched sugars 111
Methyl-tri-*n*-octyl-ammonium chloride 9
3,3-Methylene-5,5-dimethyl-2-pyrrolidinone 348, 977
N-Methylphthalimide 139
Michael reaction 841, 1029
Microporous solids 577
Mixed chelates 341
Mmpi 943
Mndo 1015
Molecular complexes, 2,4,6-trinitropyridine 47
Molecular mechanics 487, 521
Molybdate(II)-3-hydroxyflavone complex 429
Monobromo-8-quinolinols 935
Monochloro-8-quinolinols 935
Morpholine-4-[*N*-(4,5-diphenylimidazol-2-yl)-carboxamidine], X-ray 1063

Mushroom odour 1089

Natrium molybdate 429
Neodymium thiocyanate 241
Neopin 399
Nickel selenite, $Ni_3(SeO_3)_3 \cdot H_2O$, X-ray 585
Nickel(II) complexes 327, 445, 467
Nitrile oxides, 1,3-dipolar cycloaddition of 165
Nitriles 731
8-Nitro-imidazo[1,2-a]pyridines 959
4-Nitro-pyrido[1,2-a]benzimidazoles 959
Nitrofurylacrylic acid compounds 1035
Nitromethylenimidazolines 959
Nmr, 2 D 545, 949, 959, 987
Nmr, C 13, benzo[h]quinazolines 209
–, bipyridines 529
–, *cis*-enols 157
–, dihydropyrimidines 195
–, triazoles 195
Nmr, C 13-1 H shift correlation 545
–, COLOC 545
–, F 19, *cis*-enols 157
–, kinetics 319
Noe difference 1055
Norleucinate, complexes 341
Nucleophilic addition 127
Nucleosides 255

Optical activity, s. Chiroptical properties
Outer sphere complexes, Nd(III) 241
Overall stability constant, neodymium complexes 241
1,3,4-Oxadiazolo[3,2-a]-*s*-triazine-5,7(6*H*)-diones 43
Oxidation, with hypervalent iodine compounds 323
Oxide, BaAgHg, X-ray 915
Oxygen 18 labelling, hydroxypropyl)phosphonic acids 389
Ozonization, of olefins 719

Palladium catalysis 841
Pentafluoroorthotellurate ion 479
Peptides, conformation control with 89
Pesticides 745
Phenanthrene, vibronic behaviour 483
1-Phenyl-3-methyl-4-benzoyl-pyrazolone-5 789
Phenyl-3-pyridazinylmethanone 1055
Phenyl-4-pyridazinylmethanone 1055
Phenyl-pyridazinyl-ethenes, configuration of 1055
Phenyl-hydrazine 263
Pheromones 101, 185, 299
Photocatalysis, titania-copper 645
Photoelectron spectra, cyclopolysilanes 31
Phthalimide, 4-amino-N-methyl 139
Pka-values 495
Platinum, polycrystalline surface 425
Polarography 605, 765
Polyamine complex formation 131
Polystyrene bound precursor 673
Potassium ionization of desorbed species MS 967
Potentiometry 17
Potentiostatic behaviour, In electrode 1019
Propellers, three-bladed 927
Pyrano[2,3-b]pyridine complexes 1005
Pyrano[2,3-c]pyrazoles 731
Pyrazolo-benzoxazinones 51
Pyrazolones 537, 731
Pyridazines 413, 1055
Pyridazino[3,4-b][1,4]benzothiazine 413
Pyridine complexes 47
Pyridine derivatives 871, 1035
Pyridinemethanols 863
Pyrido[1,2-a]benzimidazoles, 4-nitro- 959
Pyrido[2,3-d]pyrimidines 255
Pyrimido[4',5':4,5]thieno[2,3-c]-pyridazine 413
2-Pyrrolidinone, substituted 977
Pyrrolo[2,3-b]pyridine-5-carboxylic acid derivatives 725

8-Quinolinols 935
2(1*H*)-Quinolones, 3-aryl, 4-hydroxy/4-chloro/4-azido 853

Raman spectra, silanes 661
Rare earth complexes 789
Rare earth nitrates, separation 247
Rate constant of EDTA substitution 27
Reduction, of bilindione-10-thiol adduct 319
Regio- and stereoselectivity, 1,3-dipolar cycloaddition 165
Regioselective lithiation 739
Regioselectivity, 1,3-dipolar cycloaddition 821, 977
Replication rate constants 795
Rhodium complex, chiral 571
Ring closure 853
Rna, free energies 795
Rna, secondary structures 795

Salicylaldehyde 557
Sandalwood odour 1089
Scf MO CI-1 PPP, pyridine complexes 47
Secondary structures, RNA 795
Selenite, polarography 605
Selenium-sulfur chelates 533
L-Serine complexes 921
Sesquiterpenoids 1029
Sialic acid analogues 1075
Sialic acid, alditols of 521
Sialic acids 111, 995
Sodium-dodecaalumino-galliumsulfate-ikosihydrate, X-ray 759
Solvatochromism 327
Solvent effects 1, 907
Solvent effects, in chemiluminescence 697
Sonochemistry 529
Spectrophotometry, molybdate-flavone 429
Spiro compounds 731
Spiro[inden-pyrano[2,3-c]pyrazole] 731
Spiro[indol-pyrano[2,3-c]pyrazole] 731
Spiroketals 185
Stability constants, polyamine complexes 131
Stereoselective reduction 299
Stereoselectivity, 1,3-dipolar cycloaddition 977
Streptomyces fradiae 389
SN2-Substitution 871
Sugars, keto- 995
Sugars, methyl-branched 111
Sulfur-metal complexes 35
Sulfur-selenium chelates 533
Sulpha drugs 829
Synergistic effect, extraction of Co(II) 9
Synergy, extraction 453

Tautomerism, benzo[h]quinazolines 209
Tautomerism, tetrazolo-azidoazomethine 849
Telesubstitution 871
Tellurate ion, pentafluoroortho- 479
Tellurite, polarography 605
Terbium(III), Pyrano[2,3-b]pyridine complex 1005
2,3,3a,7a-Tetrahydro-1*H*-isoindole-4,7-diones 383
Tetrahydro-pyrazolo-benzoxazinones 51
3,4,5,6-Tetrahydro-benzo[h]quinazolines 209
Tetrapyrroles, linear 749
Tetrazamacrocycles 683
Tetrazolo-azidoazomethine tautomerism 849
Tetrazolo[1,5-c]quinazolines 849
Thallium(I) crown ether complexes 1
Thermal decomposition, yttrium earth nitrate 247
Thermochromism 327
Thermogravimetry 829
Thermolysis 853
Thiazolidines 263
Thieno[2,3-c]pyridazine 413
Thienyl ethers, desulfurisation 185
Thin gelatin layer 595
1-Thiochromanones, reactions 691
Thiomethanol derivatives, desulfurisation 705
Thiophenes, desulfurisation 185
Thiosemicarbazones 235

Titania-copper, hydrogen photoproduction 645
Titanocene sulfidotetraselenides 533
Titanocenes, ring substituted 551
p-Tolualdehyde 557
p-Tolylbiguanide, reaction with 949
Torsional isomers and barriers 1097
1,2,4-Triazine derivatives 215
1,3,5-Triazine, diamino-methylphenyl-styryl-dihydro-, X-ray 949
Triazines 1063
Triazines, substituted 1,2-dihydro- 949
1,2,4-Triazol-5-ones 557
1,2,3-Triazoles 195
Trichloromethyl-3-pyridinemethanol 863
2-Trifluoroacetylcycloalkanones, *cis*-enols of 157
Trifluoromethyl-pyridinemethanols 879
Trimethylsilylacetylene 177
2,4,6-Trinitropyridine, molecular complexes 47

Ultrasound 529
Uv-vis, s. Electronic spectra

Value landscapes 795
Verapamil skeleton synthesis 841
Vibronic spectral behaviour, phenanthrene 483
Vinylindoles 291
Virtual charge model 349

X-ray, Aryl-bilatrienes-abc 749
–, Bi(9,10-dihydro-9,10-ethano-anthryl) 1097
–, Bis(trimethylsilylcyclopentadienyl)titanium(IV) 551
–, Carboxymethylaminomethyluridine 487
–, Cobalt selenite, $Co_3(SeO_3)_3 \cdot H_2O$ 585
–, Copper selenate hydroxide $Cu_3SeO_4(OH)_4$ 229
–, Cyclonorcodeinondimethylacetal 399
–, Dibenzyl-*tert*.butoxycarbonylhydrazin 37
–, Ferric selenate $Fe_2(SeO_4)_3$ 617
–, Morpholine-4-[*N*-(4,5-diphenylimidazol-2-yl)-carboxamidine] 1063
–, Nickel selenite, $Ni_3SeO_3)_3 \cdot H_2O$ 585
–, Powder diffraction pattern, Fe(III) complexes 829
–, Sodium-dodecaalumino-gallium-sulfate-ikosihydrate 759
–, *Trans*-glycols from isobenzofuranone 145
–, Triazine, diamino-methylphenyl-styryl-dihydro-1,3,5- 949
Xanthobilirubinic acid esters and amides 673

Yttrium earth nitrate, separation 247
Yttrium hydroxide nitrate 635
Yttrium nitrate, thermal decomposition 635
Yttrium oxide nitrate 635
Yttrium(III) – *L*-serine complexes 921

Zinc(II), polyamine complex formation 131
Zirconium cluster compounds 625
Zirconium organyls 111
Zirconocenophane, pentasulfide chelate 35